

Inflatable Game: Castle Bouncehouse

Serial Number: N15-BOCVR-107

Operator/Attendant Name: \_\_\_\_\_

Operator/Attendant Responsibilities	Renter Initials	Comments/Notes
Supervision by an adult trained attendant is required at all times.		
The Owner/Attendant should make all riders aware of Rules posted at the game.		
The inflatable must be securely anchored at all times.		
Entry into the inflatable device should be done in an orderly and controlled manner.		
Riders should be of similar age, weight, and height range. Adults and older children should not ride with younger children.		
Persons with mental or physical impairment should not be permitted on ride. This would include those under the influence of drugs or alcohol.		
No riders under the age of 3 years old, unless the unit is specifically designed for their use.		
No shoes, eyeglasses, jewelry, or sharp objects.		
No somersaults, diving, wrestling, flips, or rough play.		
No food, drinks, gum, pets, or silly string.		
No grabbing or jumping into basketball rim.		
Use of whistles or signaling devices is advised.		
Keep riders away from the blower at all times.		
Do not use inflatable device if wind conditions exceed 15mph or if it rains.		

In the unlikely event of a Severe Weather Alert, Power Failure, or Medical Emergency, the following procedures should be followed:

Emergency Procedures	Renter Initials	Comments/Notes
Exit riders in an orderly fashion away from ride.		
Turn off blower and unplug from outlet.		
Keep riders away from the inflatable device.		
Call the appropriate emergency responders if necessary.		

## Pre-Operations Inspection Checklist

The following checklist is to be completed together with the Owner/Operator and the Renter upon each installation and setup of each inflatable ride and game.

Failure to read, understand, and follow these rules could result in injury.

Inspected Areas (If Applicable)		Comments/Notes
Weather conditions are safe for operation of inflatable device.		
Vinyl/Patterns are clean and free of stains		
Seams and velcro are secure and in good condition.		
Tie-down straps are strong and show no breakage.		
Inflatable is anchored and secured in place.		
Inflatable is secured by sandbags.		
Entrance/ safety flap is secure and in place.		
Entrance/Exits are clear of obstructions.		
Warning and Rule signage is in place and visible.		
Internal air pressure is sufficient for sure footing.		
No debris or sharp objects are present.		
Inflatable is 20' clear of any utility lines above ground and laterally.		
Blower is clean and firmly attached to inflatable.		
Blower is working and plugged into a GFCI 110v outlet.		
Electrical cords are free from wear and do not pose hazard to riders.		

**I have read and understand the Operator/Attendant Responsibilities and Emergency Procedures listed above. I have inspected the inflatable unit(s) and find all items satisfactory and acceptable.**

**Operator:** \_\_\_\_\_ **Date:** \_\_\_\_\_